

**COMMISSION IMPLEMENTING REGULATION (EU) No 888/2014****of 14 August 2014****prohibiting the introduction into the Union of specimens of certain species of wild fauna and flora**

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Council Regulation (EC) No 338/97 of 9 December 1996 on the protection of species of wild fauna and flora by regulating trade therein <sup>(1)</sup>, and in particular Article 4(6) thereof,

Whereas:

- (1) Article 4(6) of Regulation (EC) No 338/97 provides that the Commission may establish restrictions to the introduction of specimens of certain species into the Union in accordance with the conditions laid down in points (a) to (d) thereof. Furthermore, implementing measures for such restrictions have been laid down in Article 71 of Commission Regulation (EC) No 865/2006 <sup>(2)</sup>.
- (2) The list of species for which the introduction into the Union is prohibited was last established in June 2013 by Commission Implementing Regulation (EU) No 578/2013 <sup>(3)</sup>.
- (3) Croatia acceded to the Union on 1 July 2013. Therefore, all references to that Member State should be deleted from the list of species whose introduction in the Union is prohibited.
- (4) On the basis of recent information, the Scientific Review Group has concluded that the conservation status of certain additional species listed in Annexes A and B to Regulation (EC) No 338/97 will be seriously jeopardised if their introduction into the Union from certain countries of origin is not prohibited. The introduction into the Union of specimens of the following new species should therefore be prohibited:
  - *Loxodonta africana* (hunting trophies) from Cameroon;
  - *Manis tricuspis* from Guinea;
  - *Balearica pavonina* from South Sudan;
  - *Balearica regulorum* from Rwanda and Tanzania;
  - *Calumma tarzan* from Madagascar;
  - *Triceros perreti* and *Triceros serratus* from Cameroon;
  - *Cordylus rhodesianus* from Mozambique;
  - *Uroplatus sameiti* from Madagascar;
  - *Candoia carinata* from Indonesia;
  - *Python bivittatus* from China;
  - *Kinixys erosa* from Democratic Republic of the Congo;
  - *Pandinus imperator* from Benin (wild specimens) and Togo (wild and ranched specimens).
- (5) The Scientific Review Group has also concluded that, on the basis of the most recent available information, the prohibition of the introduction into the Union should no longer be required for specimens of the following species:
  - *Gopherus agassizii* from Mexico;
  - *Stigmochelys pardalis* from Mozambique (ranched specimens) and Zambia (ranched specimens and specimens with code F)

<sup>(1)</sup> OJ L 61, 3.3.1997, p. 1.<sup>(2)</sup> Commission Regulation (EC) No 865/2006 of 4 May 2006 laying down detailed rules concerning the implementation of Council Regulation (EC) No 338/97 of the protection of species of wild fauna and flora by regulating trade therein (OJ L 166, 19.6.2006, p. 1).<sup>(3)</sup> Commission Implementing Regulation (EU) No 578/2013 of 17 June 2013 suspending the introduction into the Union of specimens of certain species of wild fauna and flora (OJ L 169, 21.6.2013, p. 1).

- *Ornithoptera urvillianus* (wild and ranched specimens) from Solomon Islands;
- *Nardostachys grandiflora* from Nepal.
- (6) The countries of origin of the species which are subject to new restrictions to introduction into the Union have all been consulted.
- (7) At the 16<sup>th</sup> Conference of the Parties to the Convention on International Trade in Endangered Species of wild fauna and flora (CITES), new nomenclatural references (splitting of species and renaming of genus) for animals were adopted and should be reflected accordingly in Union legislation. Furthermore, the species *Euphyllia picteti* should be deleted as this species is not recognised in the standard nomenclatural reference agreed at CoP 16.
- (8) The list of species for which the introduction into the Union is prohibited should therefore be updated and Implementing Regulation (EU) No 578/2013 should, for reasons of clarity, be replaced.
- (9) The Scientific Review Group established pursuant to Article 17 of Regulation (EC) No 338/97 has been consulted.
- (10) The measures provided for in this Regulation are in accordance with the opinion of the Committee on Trade in Wild Fauna and Flora established pursuant to Article 18 of Regulation (EC) No 338/97,

HAS ADOPTED THIS REGULATION:

*Article 1*

The introduction into the Union of specimens of the species of wild fauna and flora set out in the Annex to this Regulation from the countries of origin indicated therein is prohibited.

*Article 2*

Implementing Regulation (EU) No 578/2013 is repealed.

References to the repealed Implementing Regulation shall be construed as references to this Regulation.

*Article 3*

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 14 August 2014.

*For the Commission,*  
*The President*  
José Manuel BARROSO

## ANNEX

**Specimens of species included in Annex A to Regulation (EC) No 338/97 whose introduction into the Union is prohibited**

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>FAUNA</b>				
<b>CHORDATA</b>				
<b>MAMMALIA</b>				
ARTIODACTYLA				
<b>Bovidae</b>				
<i>Capra falconeri</i>	Wild	Hunting trophies	Uzbekistan	(a)
CARNIVORA				
<b>Canidae</b>				
<i>Canis lupus</i>	Wild	Hunting trophies	Belarus, Mongolia, Tajikistan, Turkey	(a)
<b>Ursidae</b>				
<i>Ursus arctos</i>	Wild	Hunting trophies	Canada (British Columbia), Kazakhstan	(a)
<i>Ursus thibetanus</i>	Wild	Hunting trophies	Russia	(a)
PROBOSCIDEA				
<b>Elephantidae</b>				
<i>Loxodonta africana</i>	Wild	Hunting trophies	Cameroon	(a)
<b>AVES</b>				
FALCONIFORMES				
<b>Falconidae</b>				
<i>Falco cherrug</i>	Wild	All	Bahrain	(a)

**Specimens of species included in Annex B to Regulation (EC) No 338/97 whose introduction into the Union is prohibited**

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>FAUNA</b>				
<b>CHORDATA</b>				
<b>MAMMALIA</b>				
ARTIODACTYLA				
<b>Bovidae</b>				
<i>Ovis vignei boharensis</i>	Wild	All	Uzbekistan	(b)
<i>Saiga borealis</i>	Wild	All	Russia	(b)
<b>Cervidae</b>				
<i>Cervus elaphus bactrianus</i>	Wild	All	Uzbekistan	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>Hippopotamidae</b>				
<i>Hexaprotodon liberiensis</i> (synonym <i>Choeropsis liberiensis</i> )	Wild	All	Nigeria	(b)
<i>Hippopotamus amphibius</i>	Wild	All	Cameroon, Gambia, Mozambique, Niger, Nigeria, Sierra Leone, Togo	(b)
<b>Moschidae</b>				
<i>Moschus moschiferus</i>	Wild	All	Russia	(b)
CARNIVORA				
<b>Eupleridae</b>				
<i>Cryptoprocta ferox</i>	Wild	All	Madagascar	(b)
<b>Felidae</b>				
<i>Panthera leo</i>	Wild	All	Ethiopia	(b)
<i>Profelis aurata</i>	Wild	All	Tanzania, Togo	(b)
<b>Mustelidae</b>				
<i>Hydrictis maculicollis</i>	Wild	All	Tanzania	(b)
<b>Odobenidae</b>				
<i>Odobenus rosmarus</i>	Wild	All	Greenland	(b)
MONOTREMATA				
<b>Tachyglossidae</b>				
<i>Zaglossus bartoni</i>	Wild	All	Indonesia, Papua New Guinea	(b)
<i>Zaglossus bruijni</i>	Wild	All	Indonesia	(b)
PHOLIDOTA				
<b>Manidae</b>				
<i>Manis temminckii</i>	Wild	All	Democratic Republic of the Congo	(b)
<i>Manis tricuspis</i>	Wild	All	Guinea	(b)
PRIMATES				
<b>Atelidae</b>				
<i>Alouatta guariba</i>	Wild	All	All	(b)
<i>Ateles belzebuth</i>	Wild	All	All	(b)
<i>Ateles fusciceps</i>	Wild	All	All	(b)
<i>Ateles geoffroyi</i>	Wild	All	Belize, Colombia, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Panama	(b)
<i>Ateles hybridus</i>	Wild	All	All	(b)
<i>Lagothrix lagotricha</i>	Wild	All	All	(b)
<i>Lagothrix lugens</i>	Wild	All	All	(b)
<i>Lagothrix poeppigii</i>	Wild	All	All	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>Cercopithecidae</b>				
<i>Cercopithecus dryas</i>	Wild	All	Democratic Republic of the Congo	(b)
<i>Cercopithecus erythrogaster</i>	Wild	All	All	(b)
<i>Cercopithecus erythrotis</i>	Wild	All	All	(b)
<i>Cercopithecus hamlyni</i>	Wild	All	All	(b)
<i>Cercopithecus mona</i>	Wild	All	Togo	(b)
<i>Cercopithecus petaurista</i>	Wild	All	Togo	(b)
<i>Cercopithecus pogonias</i>	Wild	All	Nigeria	(b)
<i>Cercopithecus preussi</i> (synonym <i>C. lhoesti preussi</i> )	Wild	All	Nigeria	(b)
<i>Colobus vellerosus</i>	Wild	All	Nigeria, Togo	(b)
<i>Lophocebus albigena</i> (synonym <i>Cercocebus albigena</i> )	Wild	All	Nigeria	(b)
<i>Macaca cyclopis</i>	Wild	All	All	(b)
<i>Macaca sylvanus</i>	Wild	All	Algeria, Morocco	(b)
<i>Ptilocolobus badius</i> (synonym <i>Colobus badius</i> )	Wild	All	All	(b)
<b>Galagidae</b>				
<i>Euoticus pallidus</i> (synonym <i>Galago elegantulus pallidus</i> )	Wild	All	Nigeria	(b)
<i>Galago matschiei</i> (synonym <i>G. inustus</i> )	Wild	All	Rwanda	(b)
<b>Lorisidae</b>				
<i>Arctocebus calabarensis</i>	Wild	All	Nigeria	(b)
<i>Perodicticus potto</i>	Wild	All	Togo	(b)
<b>Pitheciidae</b>				
<i>Chiropotes chiropotes</i>	Wild	All	Guyana	(b)
<i>Pithecia pithecia</i>	Wild	All	Guyana	(b)
RODENTIA				
<b>Sciuridae</b>				
<i>Callosciurus erythraeus</i>	All	Live	All	(d)
<i>Sciurus carolinensis</i>	All	Live	All	(d)
<i>Sciurus niger</i>	All	Live	All	(d)
<b>AVES</b>				
ANSERIFORMES				
<b>Anatidae</b>				
<i>Oxyura jamaicensis</i>	All	Live	All	(d)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Ciconiiformes</i>				
<b>Balaenicipitidae</b>				
<i>Balaeniceps rex</i>	Wild	All	Tanzania	(b)
FALCONIFORMES				
<b>Accipitridae</b>				
<i>Accipiter erythropus</i>	Wild	All	Guinea	(b)
<i>Accipiter melanoleucus</i>	Wild	All	Guinea	(b)
<i>Accipiter ovampensis</i>	Wild	All	Guinea	(b)
<i>Aquila rapax</i>	Wild	All	Guinea	(b)
<i>Aviceda cuculoides</i>	Wild	All	Guinea	(b)
<i>Gyps africanus</i>	Wild	All	Guinea	(b)
<i>Gyps bengalensis</i>	Wild	All	All	(b)
<i>Gyps indicus</i>	Wild	All	All	(b)
<i>Gyps rueppellii</i>	Wild	All	Guinea	(b)
<i>Gyps tenuirostris</i>	Wild	All	All	(b)
<i>Hieraetus ayresii</i>	Wild	All	Cameroon, Guinea, Togo	(b)
<i>Hieraetus spilogaster</i>	Wild	All	Guinea, Togo	(b)
<i>Leucopternis lacernulatus</i>	Wild	All	Brazil	(b)
<i>Lophaetus occipitalis</i>	Wild	All	Guinea	(b)
<i>Macheiramphus alcinus</i>	Wild	All	Guinea	(b)
<i>Polemaetus bellicosus</i>	Wild	All	Cameroon, Guinea, Tanzania, Togo	(b)
<i>Spizaetus africanus</i>	Wild	All	Guinea	(b)
<i>Stephanoaetus coronatus</i>	Wild	All	Côte d'Ivoire, Guinea, Tanzania, Togo	(b)
<i>Terathopius ecaudatus</i>	Wild	All	Tanzania	(b)
<i>Torgos tracheliotus</i>	Wild	All	Cameroon, Sudan, Tanzania	(b)
<i>Trigonoceps occipitalis</i>	Wild	All	Côte d'Ivoire, Guinea	(b)
<i>Urotiorchis macrourus</i>	Wild	All	Guinea	(b)
<b>Falconidae</b>				
<i>Falco chicquera</i>	Wild	All	Guinea, Togo	(b)
<b>Sagittariidae</b>				
<i>Sagittarius serpentarius</i>	Wild	All	Cameroon, Guinea, Tanzania, Togo	(b)
GRUIFORMES				
<b>Gruidae</b>				
<i>Balearica pavonina</i>	Wild	All	Guinea, Mali, South Sudan, Sudan	(b)
<i>Balearica regulorum</i>	Wild	All	Botswana, Burundi, Democratic Republic of the Congo, Kenya, Rwanda, South Africa, Tanzania, Zambia, Zimbabwe	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Bugeranus carunculatus</i> PSITTACIFORMES	Wild	All	South Africa, Tanzania	(b)
<b>Loriidae</b>				
<i>Chamosyna diadema</i>	Wild	All	All	(b)
<b>Psittacidae</b>				
<i>Agapornis fischeri</i>	Wild	All	Tanzania	(b)
<i>Agapornis nigrigenis</i>	Wild	All	All	(b)
<i>Agapornis pullarius</i>	Wild	All	Democratic Republic of the Congo, Côte d'Ivoire, Guinea, Mali, Togo	(b)
<i>Aratinga auricapillus</i>	Wild	All	All	(b)
<i>Coracopsis vasa</i>	Wild	All	Madagascar	(b)
<i>Derophtus accipitrinus</i>	Wild	All	Suriname	(b)
<i>Hapalopsittaca amazonina</i>	Wild	All	All	(b)
<i>Hapalopsittaca pyrrhops</i>	Wild	All	All	(b)
<i>Leptosittaca branickii</i>	Wild	All	All	(b)
<i>Poicephalus gularis</i>	Wild	All	Cameroon, Côte d'Ivoire, Congo, Guinea	(b)
<i>Poicephalus robustus</i>	Wild	All	Democratic Republic of the Congo, Côte d'Ivoire, Guinea, Mali, Nigeria, Togo, Uganda	(b)
<i>Psittacus erithacus</i>	Wild	All	Benin, Equatorial Guinea, Liberia, Nigeria	(b)
<i>Psittacus erithacus timneh</i>	Wild	All	Guinea, Guinea-Bissau	(b)
<i>Psittacus fulgidus</i>	Wild	All	All	(b)
<i>Pyrrhura caeruleiceps</i>	Wild	All	Colombia	(b)
<i>Pyrrhura frontalis</i>	Wild	All	Brazil	(b)
<i>Pyrrhura subandina</i>	Wild	All	Colombia	(b)
STRIGIFORMES				
<b>Strigidae</b>				
<i>Asio capensis</i>	Wild	All	Guinea	(b)
<i>Bubo lacteus</i>	Wild	All	Guinea	(b)
<i>Bubo poensis</i>	Wild	All	Guinea	(b)
<i>Glaucidium capense</i>	Wild	All	Rwanda	(b)
<i>Glaucidium perlatum</i>	Wild	All	Cameroon, Guinea	(b)
<i>Ptilopsis leucotis</i>	Wild	All	Guinea	(b)
<i>Scotopelia bouvieri</i>	Wild	All	Cameroon	(b)
<i>Scotopelia peli</i>	Wild	All	Guinea	(b)
REPTILIA				
CROCODYLIA				
<b>Alligatoridae</b>				
<i>Palaeosuchus trigonatus</i>	Wild	All	Guyana	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>Crocodylidae</b>				
<i>Crocodylus niloticus</i>	Wild	All	Madagascar	(b)
SAURIA				
<b>Agamidae</b>				
<i>Uromastyx dispar</i>	Wild	All	Algeria, Mali, Sudan	(b)
<i>Uromastyx geyri</i>	Wild	All	Mali, Niger	(b)
<b>Chamaeleonidae</b>				
<i>Brookesia decaryi</i>	Wild	All	Madagascar	(b)
<i>Calumma ambreense</i>	Wild	All	Madagascar	(b)
<i>Calumma capuroni</i>	Wild	All	Madagascar	(b)
<i>Calumma cucullatum</i>	Wild	All	Madagascar	(b)
<i>Calumma furcifer</i>	Wild	All	Madagascar	(b)
<i>Calumma guibei</i>	Wild	All	Madagascar	(b)
<i>Calumma hilleniusi</i>	Wild	All	Madagascar	(b)
<i>Calumma linota</i>	Wild	All	Madagascar	(b)
<i>Calumma peyrierasi</i>	Wild	All	Madagascar	(b)
<i>Calumma tarzan</i>	Wild	All	Madagascar	(b)
<i>Calumma tsaratananense</i>	Wild	All	Madagascar	(b)
<i>Calumma vatosoa</i>	Wild	All	Madagascar	(b)
<i>Chamaeleo africanus</i>	Wild	All	Niger	(b)
<i>Chamaeleo gracilis</i>	Wild	All	Benin, Ghana, Togo	(b)
	Ranched	All	Benin	(b)
	Ranched	Snout to vent length greater than 8 cm	Togo	(b)
<i>Chamaeleo senegalensis</i>	Wild	All	Benin, Ghana, Togo	(b)
	Ranched	Snout to vent length greater than 6 cm	Benin, Togo	(b)
<i>Furcifer angeli</i>	Wild	All	Madagascar	(b)
<i>Furcifer balteatus</i>	Wild	All	Madagascar	(b)
<i>Furcifer belalandaensis</i>	Wild	All	Madagascar	(b)
<i>Furcifer labordi</i>	Wild	All	Madagascar	(b)
<i>Furcifer monoceras</i>	Wild	All	Madagascar	(b)
<i>Furcifer nicosiai</i>	Wild	All	Madagascar	(b)
<i>Furcifer tuzetae</i>	Wild	All	Madagascar	(b)
<i>Trioceros camerunensis</i>	Wild	All	Cameroon	(b)
<i>Trioceros deremensis</i>	Wild	All	Tanzania	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Triceros eisentrauti</i>	Wild	All	Cameroon	(b)
<i>Triceros feae</i>	Wild	All	Equatorial Guinea	(b)
<i>Triceros fuelleborni</i>	Wild	All	Tanzania	(b)
<i>Triceros montium</i>	Wild	All	Cameroon	(b)
<i>Triceros perreti</i>	Wild	All	Cameroon	(b)
<i>Triceros serratus</i>	Wild	All	Cameroon	(b)
<i>Triceros wernerii</i>	Wild	All	Tanzania	(b)
<i>Triceros wiedersheimi</i>	Wild	All	Cameroon	(b)
<b>Cordylidae</b>				
<i>Cordylus mossambicus</i>	Wild	All	Mozambique	(b)
<i>Cordylus rhodesianus</i>	Wild	All	Mozambique	(b)
<i>Cordylus tropidosternum</i>	Wild	All	Mozambique	(b)
<i>Cordylus vittifer</i>	Wild	All	Mozambique	(b)
<b>Gekkonidae</b>				
<i>Phelsuma abboti</i>	Wild	All	Madagascar	(b)
<i>Phelsuma antanosy</i>	Wild	All	Madagascar	(b)
<i>Phelsuma barbouri</i>	Wild	All	Madagascar	(b)
<i>Phelsuma berghofi</i>	Wild	All	Madagascar	(b)
<i>Phelsuma breviceps</i>	Wild	All	Madagascar	(b)
<i>Phelsuma comorensis</i>	Wild	All	Comoros	(b)
<i>Phelsuma dubia</i>	Wild	All	Comoros, Madagascar	(b)
<i>Phelsuma flavigularis</i>	Wild	All	Madagascar	(b)
<i>Phelsuma guttata</i>	Wild	All	Madagascar	(b)
<i>Phelsuma hielscheri</i>	Wild	All	Madagascar	(b)
<i>Phelsuma klemmeri</i>	Wild	All	Madagascar	(b)
<i>Phelsuma laticauda</i>	Wild	All	Comoros	(b)
<i>Phelsuma malamakibo</i>	Wild	All	Madagascar	(b)
<i>Phelsuma masohoala</i>	Wild	All	Madagascar	(b)
<i>Phelsuma modesta</i>	Wild	All	Madagascar	(b)
<i>Phelsuma mutabilis</i>	Wild	All	Madagascar	(b)
<i>Phelsuma pronki</i>	Wild	All	Madagascar	(b)
<i>Phelsuma pusilla</i>	Wild	All	Madagascar	(b)
<i>Phelsuma seippi</i>	Wild	All	Madagascar	(b)
<i>Phelsuma serraticauda</i>	Wild	All	Madagascar	(b)
<i>Phelsuma standingi</i>	Wild	All	Madagascar	(b)
<i>Phelsuma v-nigra</i>	Wild	All	Comoros	(b)
<i>Uroplatus eburnei</i>	Wild	All	Madagascar	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Uroplatus fimbriatus</i>	Wild	All	Madagascar	(b)
<i>Uroplatus guentheri</i>	Wild	All	Madagascar	(b)
<i>Uroplatus henkeli</i>	Wild	All	Madagascar	(b)
<i>Uroplatus lineatus</i>	Wild	All	Madagascar	(b)
<i>Uroplatus malama</i>	Wild	All	Madagascar	(b)
<i>Uroplatus phantasticus</i>	Wild	All	Madagascar	(b)
<i>Uroplatus pietschmanni</i>	Wild	All	Madagascar	(b)
<i>Uroplatus sameiti</i>	Wild	All	Madagascar	(b)
<i>Uroplatus sikorae</i>	Wild	All	Madagascar	(b)
<b>Scincidae</b>				
<i>Corucia zebrata</i>	Wild	All	Solomon Islands	(b)
<b>Varanidae</b>				
<i>Varanus albigularis</i>	Wild	All	Tanzania	(b)
<i>Varanus beccarii</i>	Wild	All	Indonesia	(b)
<i>Varanus dumerilii</i>	Wild	All	Indonesia	(b)
<i>Varanus exanthematicus</i>	Wild	All	Benin, Togo	(b)
	Ranched	Greater than 35 cm total length	Benin, Togo	(b)
<i>Varanus jobiensis</i> (synonym <i>V. karlschmidti</i> )	Wild	All	Indonesia	(b)
<i>Varanus niloticus</i>	Wild	All	Benin, Togo	(b)
	Ranched	Greater than 35 cm total length	Benin	(b)
	Ranched	All	Togo	(b)
<i>Varanus ornatus</i>	Wild	All	Togo	(b)
	Ranched	All	Togo	(b)
<i>Varanus salvadorii</i>	Wild	All	Indonesia	(b)
<i>Varanus spinulosus</i>	Wild	All	Solomon Islands	(b)
SERPENTES				
<b>Boidae</b>				
<i>Boa constrictor</i>	Wild	All	Honduras	(b)
<i>Calabaria reinhardtii</i>	Wild	All	Togo	(b)
	Ranched	All	Benin, Togo	(b)
<i>Candoia carinata</i>	Wild	All	Indonesia	(b)
<b>Elapidae</b>				
<i>Naja atra</i>	Wild	All	Laos	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Naja kaouthia</i>	Wild	All	Laos	(b)
<i>Naja siamensis</i>	Wild	All	Laos	(b)
<b>Pythonidae</b>				
<i>Liasis fuscus</i>	Wild	All	Indonesia	(b)
<i>Morelia boeleni</i>	Wild	All	Indonesia	(b)
<i>Python bivittatus</i>	Wild	All	China	(b)
<i>Python molurus</i>	Wild	All	China	(b)
<i>Python natalensis</i>	Ranched	All	Mozambique	(b)
<i>Python regius</i>	Wild	All	Benin, Guinea	(b)
<i>Python reticulatus</i>	Wild	All	Malaysia (Peninsular)	(b)
<i>Python sebae</i>	Wild	All	Mauritania	(b)
TESTUDINES				
<b>Emydidae</b>				
<i>Chrysemys picta</i>	All	Live	All	(d)
<i>Trachemys scripta elegans</i>	All	Live	All	(d)
<b>Geoemydidae</b>				
<i>Batagur borneoensis</i>	Wild	All	All	(b)
<i>Cuora amboinensis</i>	Wild	All	Indonesia, Malaysia	(b)
<i>Cuora galbinifrons</i>	Wild	All	China, Laos	(b)
<i>Heosemys annandalii</i>	Wild	All	Laos	(b)
<i>Heosemys grandis</i>	Wild	All	Laos	(b)
<i>Heosemys spinosa</i>	Wild	All	Indonesia	(b)
<i>Leucocephalon yuwonoi</i>	Wild	All	Indonesia	(b)
<i>Malayemys subtrijuga</i>	Wild	All	Indonesia	(b)
<i>Notochelys platynota</i>	Wild	All	Indonesia	(b)
<i>Siebenrockiella crassicollis</i>	Wild	All	Indonesia	(b)
<b>Podocnemididae</b>				
<i>Erymnochelys madagascariensis</i>	Wild	All	Madagascar	(b)
<i>Peltocephalus dumerilianus</i>	Wild	All	Guyana	(b)
<i>Podocnemis lewyana</i>	Wild	All	All	(b)
<i>Podocnemis unifilis</i>	Wild	All	Suriname	(b)
<b>Testudinidae</b>				
<i>Geochelone sulcata</i>	Ranched	All	Benin, Togo	(b)
<i>Gopherus agassizii</i>	Wild	All	the United States	(b)
<i>Gopherus berlandieri</i>	Wild	All	All	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Indotestudo forstenii</i>	Wild	All	All	(b)
<i>Indotestudo travancorica</i>	Wild	All	All	(b)
<i>Kinixys belliana</i>	Wild	All	Benin, Ghana, Mozambique	(b)
	Ranched	Greater than 5 cm straight carapace length	Benin	(b)
<i>Kinixys erosa</i>	Wild	All	Democratic Republic of the Congo, Togo	(b)
<i>Kinixys homeana</i>	Wild	All	Benin, Ghana, Togo	(b)
	Ranched	All	Benin	(b)
	Ranched	Greater than 8 cm straight carapace length	Togo	(b)
<i>Kinixys spekii</i>	Wild	All	Mozambique	(b)
<i>Manouria emys</i>	Wild	All	Indonesia	(b)
<i>Manouria impressa</i>	Wild	All	Vietnam	(b)
<i>Stigmochelys pardalis</i>	Wild	All	Democratic Republic of the Congo, Mozambique, Uganda	(b)
<i>Testudo horsfieldii</i>	Wild	All	Kazakhstan	(b)
<b>Trionychidae</b>				
<i>Amyda cartilaginea</i>	Wild	All	Indonesia	(b)
<i>Chitra chitra</i>	Wild	All	Malaysia	(b)
<i>Pelochelys cantorii</i>	Wild	All	Indonesia	(b)
<b>AMPHIBIA</b>				
ANURA				
<b>Conrauidae</b>				
<i>Conraua goliath</i>	Wild	All	Cameroon	(b)
<b>Dendrobatidae</b>				
<i>Hyloxalus azureiventris</i>	Wild	All	Peru	(b)
<i>Ranitomeya variabilis</i>	Wild	All	Peru	(b)
<i>Ranitomeya ventrimaculata</i>	Wild	All	Peru	(b)
<b>Mantellidae</b>				
<i>Mantella aurantiaca</i>	Wild	All	Madagascar	(b)
<i>Mantella bernhardi</i>	Wild	All	Madagascar	(b)
<i>Mantella cowani</i>	Wild	All	Madagascar	(b)
<i>Mantella crocea</i>	Wild	All	Madagascar	(b)
<i>Mantella expectata</i>	Wild	All	Madagascar	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Mantella milotympanum</i> (syn. <i>M. aurantiaca milotympanum</i> )	Wild	All	Madagascar	(b)
<i>Mantella pulchra</i>	Wild	All	Madagascar	(b)
<i>Mantella viridis</i>	Wild	All	Madagascar	(b)
<b>Microhylidae</b>				
<i>Scaphiophryne gottlebei</i>	Wild	All	Madagascar	(b)
<b>Ranidae</b>				
<i>Lithobates catesbeianus</i>	All	Live	All	(d)
<b>ACTINOPTERYGII</b>				
PERCIFORMES				
<b>Labridae</b>				
<i>Cheilinus undulatus</i>	Wild	All	Indonesia	(b)
SYNGNATHIFORMES				
<b>Syngnathidae</b>				
<i>Hippocampus barbouri</i>	Wild	All	Indonesia	(b)
<i>Hippocampus comes</i>	Wild	All	Indonesia	(b)
<i>Hippocampus erectus</i>	Wild	All	Brazil	(b)
<i>Hippocampus histrix</i>	Wild	All	Indonesia	(b)
<i>Hippocampus kelloggi</i>	Wild	All	Indonesia	(b)
<i>Hippocampus kuda</i>	Wild	All	China, Indonesia, Vietnam	(b)
<i>Hippocampus spinosissimus</i>	Wild	All	Indonesia	(b)
<b>ARTHROPODA</b>				
<b>ARACHNIDA</b>				
SCORPIONES				
<b>Scorpionidae</b>				
<i>Pandinus imperator</i>	Wild	All	Benin, Ghana, Togo	(b)
	Ranched	All	Benin, Togo	(b)
<b>INSECTA</b>				
LEPIDOPTERA				
<b>Papilionidae</b>				
<i>Ornithoptera croesus</i>	Wild	All	Indonesia	(b)
<i>Ornithoptera victoriae</i>	Wild	All	Solomon Islands	(b)
	Ranched	All	Solomon Islands	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>MOLLUSCA</b>				
<b>BIVALVIA</b>				
VENEROIDA				
<b>Tridacnidae</b>				
<i>Hippopus hippopus</i>	Wild	All	New Caledonia, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna crocea</i>	Wild	All	Cambodia, Fiji, Solomon Islands, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna derasa</i>	Wild	All	Fiji, New Caledonia, Philippines, Palau, Solomon Islands, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna gigas</i>	Wild	All	Marshall Islands, Solomon Islands, Tonga, Vietnam	(b)
<i>Tridacna maxima</i>	Wild	All	Cambodia, Fiji, Marshall Islands, Micronesia, Mozambique, New Caledonia, Solomon Islands, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna rosewateri</i>	Wild	All	Mozambique	(b)
<i>Tridacna squamosa</i>	Wild	All	Cambodia, Fiji, Mozambique, New Caledonia, Solomon Islands, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna tevoroa</i>	Wild	All	Tonga	(b)
<b>GASTROPODA</b>				
MESOGASTROPODA				
<b>Strombidae</b>				
<i>Strombus gigas</i>	Wild	All	Grenada, Haiti	(b)
<b>CNIDARIA</b>				
<b>ANTHOZOA</b>				
HELIOPORACEA				
<b>Helioporidae</b>				
<i>Heliopora coerulea</i>	Wild	All	Solomon Islands	(b)
SCLERACTINIA				
<i>Scleractinia</i> spp.	Wild	All	Ghana	(b)
<b>Agariciidae</b>				
<i>Agaricia agaricites</i>	Wild	All	Haiti	(b)
<b>Caryophylliidae</b>				
<i>Catalaphyllia jardinei</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Catalaphyllia jardinei</i>	Wild	All	Solomon Islands	(b)
<i>Euphyllia cristata</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Euphyllia divisa</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Euphyllia fimbriata</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Euphyllia paraancora</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Euphyllia paradivisa</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Euphyllia yaeyamaensis</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Plerogyra</i> spp.	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<b>Dendrophylliidae</b>				
<i>Eguchipsammia fistula</i>	Wild	All	Indonesia	(b)
<b>Faviidae</b>				
<i>Favites halicora</i>	Wild	All	Tonga	(b)
<i>Platygyra sinensis</i>	Wild	All	Tonga	(b)
<b>Fungiidae</b>				
<i>Heliofungia actiniformis</i>	Wild	All	Indonesia	(b)
<b>Merulinidae</b>				
<i>Hydnophora microconos</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<b>Mussidae</b>				
<i>Acanthastrea hemprichii</i>	Wild	All	Tonga	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Blastomussa</i> spp.	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Cynarina lacrymalis</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Scolymia vitiensis</i>	Wild	All	Tonga	(b)
<i>Scolymia vitiensis</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<b>Pocilloporidae</b>				
<i>Seriatopora stellata</i>	Wild	All	Indonesia	(b)
<b>Trachyphyllidae</b>				
<i>Trachyphyllia geoffroyi</i>	Wild	All	Fiji	(b)
<i>Trachyphyllia geoffroyi</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<b>FLORA</b>				
<b>Amaryllidaceae</b>				
<i>Galanthus nivalis</i>	Wild	All	Bosnia and Herzegovina, Switzerland, Ukraine	(b)
<b>Apocynaceae</b>				
<i>Pachypodium inopinatum</i>	Wild	All	Madagascar	(b)
<i>Pachypodium rosulatum</i>	Wild	All	Madagascar	(b)
<i>Pachypodium sofiense</i>	Wild	All	Madagascar	(b)
<b>Cycadaceae</b>				
Cycadaceae spp.	Wild	All	Mozambique	(b)
<b>Euphorbiaceae</b>				
<i>Euphorbia ankarensis</i>	Wild	All	Madagascar	(b)
<i>Euphorbia banae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia berorohae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia bongolavensis</i>	Wild	All	Madagascar	(b)
<i>Euphorbia bulbispina</i>	Wild	All	Madagascar	(b)
<i>Euphorbia duranii</i>	Wild	All	Madagascar	(b)
<i>Euphorbia fianarantsoae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia guillauminiana</i>	Wild	All	Madagascar	(b)
<i>Euphorbia iharanae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia kondoi</i>	Wild	All	Madagascar	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Euphorbia labatii</i>	Wild	All	Madagascar	(b)
<i>Euphorbia lophogona</i>	Wild	All	Madagascar	(b)
<i>Euphorbia millotii</i>	Wild	All	Madagascar	(b)
<i>Euphorbia neohumbertii</i>	Wild	All	Madagascar	(b)
<i>Euphorbia pachypodioides</i>	Wild	All	Madagascar	(b)
<i>Euphorbia razafindratsirae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia suzannae-marnierae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia waringiae</i>	Wild	All	Madagascar	(b)
<b>Orchidaceae</b>				
<i>Anacamptis pyramidalis</i>	Wild	All	Turkey	(b)
<i>Barlia robertiana</i>	Wild	All	Turkey	(b)
<i>Cypripedium japonicum</i>	Wild	All	China, North Korea, Japan, South Korea	(b)
<i>Cypripedium macranthos</i>	Wild	All	South Korea, Russia	(b)
<i>Cypripedium margaritaceum</i>	Wild	All	China	(b)
<i>Cypripedium micranthum</i>	Wild	All	China	(b)
<i>Dactylorhiza romana</i>	Wild	All	Turkey	(b)
<i>Dendrobium bellatulum</i>	Wild	All	Vietnam	(b)
<i>Dendrobium nobile</i>	Wild	All	Laos	(b)
<i>Dendrobium wardianum</i>	Wild	All	Vietnam	(b)
<i>Myrmecophila tibicinis</i>	Wild	All	Belize	(b)
<i>Ophrys holoserica</i>	Wild	All	Turkey	(b)
<i>Ophrys pallida</i>	Wild	All	Algeria	(b)
<i>Ophrys tenthredinifera</i>	Wild	All	Turkey	(b)
<i>Ophrys umbilicata</i>	Wild	All	Turkey	(b)
<i>Orchis coriophora</i>	Wild	All	Russia,	(b)
<i>Orchis italica</i>	Wild	All	Turkey	(b)
<i>Orchis mascula</i>	Wild/ Ranched	All	Albania	(b)
<i>Orchis morio</i>	Wild	All	Turkey	(b)
<i>Orchis pallens</i>	Wild	All	Russia	(b)
<i>Orchis punctulata</i>	Wild	All	Turkey	(b)
<i>Orchis purpurea</i>	Wild	All	Turkey	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Orchis simia</i>	Wild	All	Bosnia and Herzegovina, former Yugoslav Republic of Macedonia, Turkey	(b)
<i>Orchis tridentata</i>	Wild	All	Turkey	(b)
<i>Orchis ustulata</i>	Wild	All	Russia	(b)
<i>Phalaenopsis parishii</i>	Wild	All	Vietnam	(b)
<i>Serapias cordigera</i>	Wild	All	Turkey	(b)
<i>Serapias parviflora</i>	Wild	All	Turkey	(b)
<i>Serapias vomeracea</i>	Wild	All	Turkey	(b)
<b>Primulaceae</b>				
<i>Cyclamen intaminatum</i>	Wild	All	Turkey	(b)
<i>Cyclamen mirabile</i>	Wild	All	Turkey	(b)
<i>Cyclamen pseudibericum</i>	Wild	All	Turkey	(b)
<i>Cyclamen trochopteranthum</i>	Wild	All	Turkey	(b)
<b>Stangeriaceae</b>				
Stangeriaceae spp.	Wild	All	Mozambique	(b)
<b>Zamiaceae</b>				
Zamiaceae spp.	Wild	All	Mozambique	(b)